

## **BUILDING PRODUCT DECLARATION BPD 3**

in compliance with the guidelines of the Ecocycle Council, June 2007

#### 1 Basic data

Product identification			Document ID Glazed Ceramic Tiles		
Product name JURA CLASSIC & IVORY 12mm	Product no/ID designation ceramic tiles with low water absorption E<0.5%		ceramic tiles with low water		Product group group Bla EN14411 ISO13006 annex G
☐ New declaration	In the case of a revise	d declarati	on		
Revised declaration	Has the product been changed?	The change relates to			
			d product can be identified by		
Drawn up/revised on (date) 23/04/2024		Inspected v	vithout revision on (date)		
Other information:					

# 2 Supplier information

Company name LVG CERAMIC	SURFACES, S	Company reg. no/DUNS no ESB 12902300				
Address Ctra. Villarreal - Onda CV 20 KM 2.5, 12540, Villarreal (Castellón) Spain			Contact person CARLOS ALBA			
			Telephone 0034 964 914 181			
Website: www.livingceramics.com			E-mail comercial@livingceramics.com			
Does the company have an enviro	nmental manage	ment system?	Yes	⊠ No		
The company possesses			Other	If "other", please specify: CCC, CSTB UPEC, CE		
Other information:						

#### 3 Product information

Country of final manufac	cture Spain	If country of	cannot be sta	ted, please state why	1	
Area of use	Internal and external flo	ooring and	walls			
Is there a Safety Data Sh	eet for this product?			Not relevant     ■	Yes	□No
In accordance with the regulations of the Swedish		Classificati	ion		Not relevant     ■	
Chemicals Agency, pleas	Labelling					
Is the product registered	in BASTA?				Yes	⊠ No
Has the product been eco-labelled?	Criteria not found	Yes	⊠ No	If "yes", please spe	ecify:	
Is there a Type III enviro	onmental declaration for the	product?			Yes	⊠ No
Other information:						

## 4 Contents (To add a new green row, select and copy an entire empty row and paste it in)

At the time of delivery, the product comprises the following parts/components, with the chemical composition stated:						
Constituent materials/ components	Constituent substances	Weight % or g	EG no/ CAS no (or alloy)	Classifi- cation	Comments	
SiO2		70.65%	7631-86-9			
Al2O3		20.26%	1344-28-1			
Fe2O3		0.73%	1309-37-1			
TiO2		0.69 %	13463-67-7			

finished built in product shoul Constituent materials/ components	Constituent substances	Weight % or g	eged, no data need be g  EG no/ CAS no (or alloy)	Classifi- cation	
	d be given here. If the o	content is uncha	nged, no data need be g	iven in the follo	
If the chemical composition of t					ent of the
Other information:					
Other Oxides less 0.1%		0.05 %			
P2O5		0.21 %	1314-56-3		
K2O		1.56 %	37382-43-7		
Na2O		4.99 %	1313-59-3		
MgO		0.33 %	1309-48-4		

# 5 Production phase

-				
Resource utilisation and environmental imp ways:	oact during production o	of the item is repo	rted in one of the following	
1) Inflows (goods, intermediate goods, enoutflows (emissions and residual productions)	ergy etc) for the registered ets) from it, i.e. from "gat	d product into the re-to-gate".	manufacturing unit, and the	
2) All inflows and outflows from the extra	,	•	.e. "cradle-to-gate".	
3) Other limitation. State what:				
The report relates to unit of product sqm (m2)	Reported product	The product's product group	The product's production unit	
Indicate raw materials and intermediate goo	ds used in the manufactu	re of the product	☐ Not relevant	
Raw material/intermediate goods	Quantity and unit		Comments	
Clay, Sand, Feldespar, Carbonate, Kaolin	34,4 kg/m2		Atomized powder	
Carbonate, Feldespar, Kaolin, Silicate, Alumina oxide, quartz, borate, zinc oxide, zirconium oxide	0,64 kg/m2 Glaze or Enam		Glaze or Enamel	
Metal oxides.	0,004 kg/m2		Pigment	
Indicate <b>recycled materials</b> used in the manuf	facture of the product		☐ Not relevant	
Type of material	Quantity and unit		Comments	
Atomized powder (recycled)	20%			
Enter the <b>energy</b> used in the manufacture of the	ne product or its compone	nt parts	☐ Not relevant	
Type of energy	Quantity and unit		Comments	
Electric	2,12 Kwh/m2			
Gas	18,71 Kwh/m2			
Enter the <b>transportation</b> used in the manufact	ture of the product or its c	component parts	☐ Not relevant	
Type of transportation	Proportion %		Comments	
Truck	100%			
Enter the <b>emissions to air, water or soil</b> from component parts	the manufacture of the pr	roduct or its	☐ Not relevant	
Type of emission	Quantity and unit		Comments	
CO2e	1,46 kg/m2			
SO2	5,8*10-3 mg/m2			
HCL	3*10-3 kg/m2			
HF	2*10-3 kg/m2			

PI		8,4*10-6 kg	/m2					
Particles		3,65*10-3 k	g/m2					
Enter the <b>residual products</b> fr	om the manufac	ture of the pro					Not releval	nt
			Proportion Material					
Residual product	Waste code	Quantity	recycled		Energy recycled 9	6 C	omments	
Atomized Powder	101201	0,5 kg/m2	26%		recycled /		Jimients	
Atomized i owder	101201	0,5 Kg/1112	2070					
Is there a description of the data accuracy for the manufacturing data?	⊠ Yes	No	This des	cripci nent o	se specify: cion is based on "Sectoral life-cycle of ceramic tile" published by ASCER			
Other information:								
6 Distribution of fin  Does the supplier put into praction product?  Does the supplier put into praction the product?	etice a system fo	r returning loa				relevant	☐ Yes	⊠ No
Does the supplier take back pa	ckaging for the	product?			□ Not :	elevant	Yes	⊠ No
Is the supplier affiliated to RE		product:				elevant	Yes	⊠ No
Other information:	111.				1100	Cicvant	103	2 110
7 Construction pha					7		1	
Are there any special requirem product during storage?	ients for the	☐ Not relev	ant Yes	s 🗵	No If	"yes", p	lease specify	/: 
Are there any special requireme building products because of thi		☐ Not relev	ant Yes	s 🗵	No If	"yes", p	lease specify	<b>/</b> :
Other information:								
8 Usage phase			<b>T</b>	r				
Does the product involve any sintermediate goods regarding of	operation and ma	aintenance?	Yes	⊠ N	No If	"yes", pl	ease specify	:
Does the product have any spe requirements for operation?			Yes	⊠ N		o If "yes", please specify:		
Estimated technical service life		_					options, a) or Comments	b):
a) Reference service life estimated as being approx.	5 years	∐ 10 years	15 years	years		>50 ars	Comments	
b) Reference service life estim	ated to be in the	interval of	years					
Other information:								
9 Demolition		ı		1	I	ı		
Is the product ready for disasse apart)?	embly (taking	☐ Not rele	evant	Y	Yes 🗵	No I	f "yes", plea	se specify:
Does the product require any s to protect health and environment demolition/disassembly?		☐ Not rele	evant	Y	Yes 🗵	No I	f "yes", plea	se specify:
Other information:								
10 Waste managem	ent							
Is it possible to re-use all or paproduct?	arts of the	☐ Not rele	evant	☐ Y	∕es ⊠	No I	f "yes", plea	se specify:

Is it possible to recycle n parts of the product?	naterials for all or	☐ Not relevant	⊠ Yes	☐ No	If "yes", ple Can be use landfill	
Is it possible to recycle e of the product?	nergy for all or parts	☐ Not relevant	Yes	⊠ No	If "yes", please specify:	
Does the supplier have a recommendations for re- energy recycling or waste	use, materials or	☐ Not relevant	☐ Yes ⊠ No		If "yes", please specify:	
Enter the waste code for	the supplied product					
Is the <b>supplied</b> product of	classed as hazardous wa	ıste?			Yes	⊠ No
If the chemical composit delivery, meaning that ar If it is unchanged, the fol	nother waste code is give	en to the finished <b>built i</b>				
Enter the waste code for	the <b>built in</b> product					
Is the <b>built in</b> product cla	assed as hazardous was	te?			Yes	⊠ No
Other information:						
11 Indoor enviro	onment (To add a	new green row, select and c	opy an entire e	empty row a	nd paste it in)	
When used as intended, t	the product gives off th	e following emissions:	⊠ T emiss		does not hav	e any
			Method of		Comments	
Type of emission	Quantity [µg/m²h]	or [mg/m³h]	Method of	Ī	Comme	nts
Type of emission	Quantity [µg/m²h] 4 weeks	or [mg/m³h] 26 weeks	Method of measuren		Comme	nts
Type of emission					Comme	nts
Type of emission					Comme	nts
Type of emission					Comme	nts
Type of emission					Comme	nts
Type of emission					Comme	nts
Type of emission  Can the product itself given	4 weeks			nent	Comme	nts ⊠ No
	4 weeks		measuren	vant	Yes	
Can the product itself give	4 weeks  /e rise to any noise?  U	26 weeks	Measuren  Not rele	vant measureme	Yes	
Can the product itself give Value	4 weeks  The rise to any noise?  Use to electrical fields?	26 weeks	Not rele	vant measureme	☐ Yes	⊠ No
Can the product itself give Value Can the product give rise	4 weeks  /e rise to any noise?  Use to electrical fields?  Use to electrical fields?	26 weeks	Not rele	vant measureme vant measureme	☐ Yes	⊠ No
Can the product itself give Value Can the product give rise Value	4 weeks  The rise to any noise?  Use to electrical fields?  Use to magnetic fields?	26 weeks	Not rele  Method of a  Method of a	vant measureme vant measureme vant	Yes ent Yes ent Yes	⊠ No
Can the product itself give Value Can the product give rise Value Can the product give rise	4 weeks  The rise to any noise?  Use to electrical fields?  Use to magnetic fields?	26 weeks	Not rele  Method of r  Not rele  Method of r  Not rele	vant measureme vant measureme vant	Yes ent Yes ent Yes	⊠ No

**Appendices**